

JOUER



SIZES



WATTS




BEAM ANGLES



INGRESS

JOUER

recessed luminaires
round | fixed



Jouer adjustable 'modular' downlight collection offers multiple options to chose from wattages ranging between 9W - 40W in all standard symmetric beam options and as made available across 4 varied size options to adopt to site requirements within the standard color spectrum.

Special IP44 versions can also be offered on request.

CCT of 5000K and 6000K are also available on request.

Standard protocol for fixed output driver is offered in our article coding. Dimmable driver options are available on request.

Technical Data

CREE **bridgelux** **EPISTAR**

Body	Die Cast Aluminium
LED Type	COB
Colour Deviation	<2 SDCM
Colour Rendering Index	+90
Lumen Maintenance	L90 / B10 50000 hours
Driver	Integral
Dimmability	DALI (on request)
IP Rating	IP 20 & IP 44 (on request)
Protection Class	Class II

Dimensions (mm)

	D	H	Cut Out
Size 1	90	100	75
Size 2	115	130	100
Size 3	140	150	125
Size 4	165	175	150

Certifications



Available Options

Light Distribution		Watt	Lumen	Colour Temp	Finishes
15 deg	Spot (S)	9	720	2700 K	White
	38 deg	12	960		
24 deg	Medium (M)	15	1200	3000 K	Black
		20	1600		
		25	2000		
		30	2400		
		35	2800		
		40	3200	4000 K	White - Black

AEWIS

We reserve the right for technical and design changes
For latest product update please refer www.aewis.com

JOUER

recessed luminaires
round | fixed

Size 1	Article Reference	Finish	Watt	Lumen	Colour Temp	Beam Angle
 <p>Dia - 90 mm Height - 100 mm Cutout - 75 mm</p>	JO 111 009 2 S	White	9	720 lm	2700 K	15 deg
	JO 111 009 3 S	White	9	720 lm	3000 K	15 deg
	JO 111 009 4 S	White	9	720 lm	4000 K	15 deg
	JO 121 009 2 S	Black	9	720 lm	2700 K	15 deg
	JO 121 009 3 S	Black	9	720 lm	3000 K	15 deg
	JO 121 009 4 S	Black	9	720 lm	4000 K	15 deg
	JO 131 009 2 S	White - Black	9	720 lm	2700 K	15 deg
	JO 131 009 3 S	White - Black	9	720 lm	3000 K	15 deg
	JO 131 009 4 S	White - Black	9	720 lm	4000 K	15 deg
	JO 111 009 2 M	White	9	720 lm	2700 K	38 deg
JO 111 009 3 M	White	9	720 lm	3000 K	38 deg	
JO 111 009 4 M	White	9	720 lm	4000 K	38 deg	
JO 121 009 2 M	Black	9	720 lm	2700 K	38 deg	
JO 121 009 3 M	Black	9	720 lm	3000 K	38 deg	
JO 121 009 4 M	Black	9	720 lm	4000 K	38 deg	
JO 131 009 2 M	White - Black	9	720 lm	2700 K	38 deg	
JO 131 009 3 M	White - Black	9	720 lm	3000 K	38 deg	
JO 131 009 4 M	White - Black	9	720 lm	4000 K	38 deg	
JO 111 012 2 S	White	12	960 lm	2700 K	15 deg	
JO 111 012 3 S	White	12	960 lm	3000 K	15 deg	
JO 111 012 4 S	White	12	960 lm	4000 K	15 deg	
JO 121 012 2 S	Black	12	960 lm	2700 K	15 deg	
JO 121 012 3 S	Black	12	960 lm	3000 K	15 deg	
JO 121 012 4 S	Black	12	960 lm	4000 K	15 deg	
JO 131 012 2 S	White - Black	12	960 lm	2700 K	15 deg	
JO 131 012 3 S	White - Black	12	960 lm	3000 K	15 deg	
JO 131 012 4 S	White - Black	12	960 lm	4000 K	15 deg	
JO 111 012 2 M	White	12	960 lm	2700 K	38 deg	
JO 111 012 3 M	White	12	960 lm	3000 K	38 deg	
JO 111 012 4 M	White	12	960 lm	4000 K	38 deg	
JO 121 012 2 M	Black	12	960 lm	2700 K	38 deg	
JO 121 012 3 M	Black	12	960 lm	3000 K	38 deg	
JO 121 012 4 M	Black	12	960 lm	4000 K	38 deg	
JO 131 012 2 M	White - Black	12	960 lm	2700 K	38 deg	
JO 131 012 3 M	White - Black	12	960 lm	3000 K	38 deg	
JO 131 012 4 M	White - Black	12	960 lm	4000 K	38 deg	

AEWIS

We reserve the right for technical and design changes
For latest product update please refer www.aewis.com

JOUER

recessed luminaires
round | fixed


Size 2	Article Reference	Finish	Watt	Lumen	Colour Temp	Beam Angle
 <p>Dia - 115 mm Height - 130 mm Cutout - 100 mm</p>	JO 112 015 2 S	White	15	1200 lm	2700 K	15 deg
	JO 112 015 3 S	White	15	1200 lm	3000 K	15 deg
	JO 112 015 4 S	White	15	1200 lm	4000 K	15 deg
	JO 122 015 2 S	Black	15	1200 lm	2700 K	15 deg
	JO 122 015 3 S	Black	15	1200 lm	3000 K	15 deg
	JO 122 015 4 S	Black	15	1200 lm	4000 K	15 deg
	JO 132 015 2 S	White - Black	15	1200 lm	2700 K	15 deg
	JO 132 015 3 S	White - Black	15	1200 lm	3000 K	15 deg
	JO 132 015 4 S	White - Black	15	1200 lm	4000 K	15 deg
	JO 112 015 2 M	White	15	1200 lm	2700 K	38 deg
	JO 112 015 3 M	White	15	1200 lm	3000 K	38 deg
	JO 112 015 4 M	White	15	1200 lm	4000 K	38 deg
	JO 122 015 2 M	Black	15	1200 lm	2700 K	38 deg
	JO 122 015 3 M	Black	15	1200 lm	3000 K	38 deg
	JO 122 015 4 M	Black	15	1200 lm	4000 K	38 deg
	JO 132 015 2 M	White - Black	15	1200 lm	2700 K	38 deg
	JO 132 015 3 M	White - Black	15	1200 lm	3000 K	38 deg
	JO 132 015 4 M	White - Black	15	1200 lm	4000 K	38 deg
	JO 112 020 2 S	White	20	1600 lm	2700 K	15 deg
	JO 112 020 3 S	White	20	1600 lm	3000 K	15 deg
	JO 112 020 4 S	White	20	1600 lm	4000 K	15 deg
	JO 122 020 2 S	Black	20	1600 lm	2700 K	15 deg
	JO 122 020 3 S	Black	20	1600 lm	3000 K	15 deg
	JO 122 020 4 S	Black	20	1600 lm	4000 K	15 deg
	JO 132 020 2 S	White - Black	20	1600 lm	2700 K	15 deg
	JO 132 020 3 S	White - Black	20	1600 lm	3000 K	15 deg
	JO 132 020 4 S	White - Black	20	1600 lm	4000 K	15 deg
	JO 112 020 2 M	White	20	1600 lm	2700 K	38 deg
	JO 112 020 3 M	White	20	1600 lm	3000 K	38 deg
	JO 112 020 4 M	White	20	1600 lm	4000 K	38 deg
	JO 122 020 2 M	Black	20	1600 lm	2700 K	38 deg
	JO 122 020 3 M	Black	20	1600 lm	3000 K	38 deg
	JO 122 020 4 M	Black	20	1600 lm	4000 K	38 deg
	JO 132 020 2 M	White - Black	20	1600 lm	2700 K	38 deg
	JO 132 020 3 M	White - Black	20	1600 lm	3000 K	38 deg
	JO 132 020 4 M	White - Black	20	1600 lm	4000 K	38 deg

AEWIS

We reserve the right for technical and design changes
For latest product update please refer www.aewis.com

JOUER

recessed luminaires
round | fixed


Size 3	Article Reference	Finish	Watt	Lumen	Colour Temp	Beam Angle
 <p>Dia - 140 mm Height - 150 mm Cutout - 125 mm</p>	JO 113 025 2 S	White	25	2000 lm	2700 K	15 deg
	JO 113 025 3 S	White	25	2000 lm	3000 K	15 deg
	JO 113 025 4 S	White	25	2000 lm	4000 K	15 deg
	JO 123 025 2 S	Black	25	2000 lm	2700 K	15 deg
	JO 123 025 3 S	Black	25	2000 lm	3000 K	15 deg
	JO 123 025 4 S	Black	25	2000 lm	4000 K	15 deg
	JO 133 025 2 S	White - Black	25	2000 lm	2700 K	15 deg
	JO 133 025 3 S	White - Black	25	2000 lm	3000 K	15 deg
	JO 133 025 4 S	White - Black	25	2000 lm	4000 K	15 deg
	JO 113 025 2 M	White	25	2000 lm	2700 K	38 deg
	JO 113 025 3 M	White	25	2000 lm	3000 K	38 deg
	JO 113 025 4 M	White	25	2000 lm	4000 K	38 deg
	JO 123 025 2 M	Black	25	2000 lm	2700 K	38 deg
	JO 123 025 3 M	Black	25	2000 lm	3000 K	38 deg
	JO 123 025 4 M	Black	25	2000 lm	4000 K	38 deg
	JO 133 025 2 M	White - Black	25	2000 lm	2700 K	38 deg
	JO 133 025 3 M	White - Black	25	2000 lm	3000 K	38 deg
	JO 133 025 4 M	White - Black	25	2000 lm	4000 K	38 deg
	JO 113 030 2 S	White	30	2400 lm	2700 K	15 deg
	JO 113 030 3 S	White	30	2400 lm	3000 K	15 deg
	JO 113 030 4 S	White	30	2400 lm	4000 K	15 deg
	JO 123 030 2 S	Black	30	2400 lm	2700 K	15 deg
	JO 123 030 3 S	Black	30	2400 lm	3000 K	15 deg
	JO 123 030 4 S	Black	30	2400 lm	4000 K	15 deg
	JO 133 030 2 S	White - Black	30	2400 lm	2700 K	15 deg
	JO 133 030 3 S	White - Black	30	2400 lm	3000 K	15 deg
	JO 133 030 4 S	White - Black	30	2400 lm	4000 K	15 deg
	JO 113 030 2 M	White	30	2400 lm	2700 K	38 deg
	JO 113 030 3 M	White	30	2400 lm	3000 K	38 deg
	JO 113 030 4 M	White	30	2400 lm	4000 K	38 deg
	JO 123 030 2 M	Black	30	2400 lm	2700 K	38 deg
	JO 123 030 3 M	Black	30	2400 lm	3000 K	38 deg
	JO 123 030 4 M	Black	30	2400 lm	4000 K	38 deg
	JO 133 030 2 M	White - Black	30	2400 lm	2700 K	38 deg
	JO 133 030 3 M	White - Black	30	2400 lm	3000 K	38 deg
	JO 133 030 4 M	White - Black	30	2400 lm	4000 K	38 deg

AEWIS

We reserve the right for technical and design changes
For latest product update please refer www.aewis.com

JOUER

recessed luminaires
round | fixed

Size 4	Article Reference	Finish	Watt	Lumen	Colour Temp	Beam Angle
 <p>Dia - 165 mm Height - 175 mm Cutout - 150 mm</p>	JO 114 035 2 S	White	35	2800 lm	2700 K	15 deg
	JO 114 035 3 S	White	35	2800 lm	3000 K	15 deg
	JO 114 035 4 S	White	35	2800 lm	4000 K	15 deg
	JO 124 035 2 S	Black	35	2800 lm	2700 K	15 deg
	JO 124 035 3 S	Black	35	2800 lm	3000 K	15 deg
	JO 124 035 4 S	Black	35	2800 lm	4000 K	15 deg
	JO 134 035 2 S	White - Black	35	2800 lm	2700 K	15 deg
	JO 134 035 3 S	White - Black	35	2800 lm	3000 K	15 deg
	JO 134 035 4 S	White - Black	35	2800 lm	4000 K	15 deg
	JO 114 035 2 M	White	35	2800 lm	2700 K	38 deg
	JO 114 035 3 M	White	35	2800 lm	3000 K	38 deg
	JO 114 035 4 M	White	35	2800 lm	4000 K	38 deg
	JO 124 035 2 M	Black	35	2800 lm	2700 K	38 deg
	JO 124 035 3 M	Black	35	2800 lm	3000 K	38 deg
	JO 124 035 4 M	Black	35	2800 lm	4000 K	38 deg
	JO 134 035 2 M	White - Black	35	2800 lm	2700 K	38 deg
	JO 134 035 3 M	White - Black	35	2800 lm	3000 K	38 deg
	JO 134 035 4 M	White - Black	35	2800 lm	4000 K	38 deg
	JO 114 040 2 S	White	40	3200 lm	2700 K	15 deg
	JO 114 040 3 S	White	40	3200 lm	3000 K	15 deg
	JO 114 040 4 S	White	40	3200 lm	4000 K	15 deg
	JO 124 040 2 S	Black	40	3200 lm	2700 K	15 deg
	JO 124 040 3 S	Black	40	3200 lm	3000 K	15 deg
	JO 124 040 4 S	Black	40	3200 lm	4000 K	15 deg
	JO 134 040 2 S	White - Black	40	3200 lm	2700 K	15 deg
	JO 134 040 3 S	White - Black	40	3200 lm	3000 K	15 deg
	JO 134 040 4 S	White - Black	40	3200 lm	4000 K	15 deg
	JO 114 040 2 M	White	40	3200 lm	2700 K	38 deg
	JO 114 040 3 M	White	40	3200 lm	3000 K	38 deg
	JO 114 040 4 M	White	40	3200 lm	4000 K	38 deg
	JO 124 040 2 M	Black	40	3200 lm	2700 K	38 deg
	JO 124 040 3 M	Black	40	3200 lm	3000 K	38 deg
	JO 124 040 4 M	Black	40	3200 lm	4000 K	38 deg
	JO 134 040 2 M	White - Black	40	3200 lm	2700 K	38 deg
	JO 134 040 3 M	White - Black	40	3200 lm	3000 K	38 deg
	JO 134 040 4 M	White - Black	40	3200 lm	4000 K	38 deg





AEWIS

We reserve the right for technical and design changes
For latest product update please refer www.aewis.com

JOUER

recessed luminaires
round | fixed

Light Distribution Curves



AEWIS

We reserve the right for technical and design changes
For latest product update please refer www.aewis.com